


CMC 256plus

Ordering Information







Software packages



Software modules	Item no.	Description	
OMICRON Control Center		Automation tool, document-oriented test plan, template and report form	
uickCMC		Convenient manual testing in the Test Universe environment	
te Sequencer		Determining operating times and logical timing relations by state-based sequences	
ansPlay		Playback of COMTRADE files, recording of binary input status	
rmonics		Generation of signals with superimposed harmonics	
Configuration		Module for setting the CB simulation	
nping		Determining magnitude, phase, and frequency thresholds by ramping definitions	
se Ramping	P0006818	Determining magnitude, phase, and frequency thresholds by pulse ramping definitions	
IControl P App	P0000344	Quick and easy manual testing of protection and measurement devices	
ercurrent	P0006821	Automatic testing of positive/negative/zero sequence overcurrent characteristics	
stance	P0006816	Impedance element evaluations using single-shot definitions in the Z-plane	
vanced Distance ¹	P0006591	Impedance element evaluations using automatic testing modes	
Starting	P0006820	Testing of the voltage dependent overcurrent starting function of distance relays	
toreclosure	P0006819	Testing of the autoreclosure function with integral fault model	
gle-Phase Differential	P0006824	Single-phase tests of the operating characteristic and the inrush blocking	
vanced Differential ¹	P0000296	Comprehensive three-phase differential relay testing (four modules)	
nunciation Checker	P0006830	Verification of the correct marshalling and wiring of protection devices	
/er	P0006835	Testing with visualization and assessment in the P-Q plane (basic)	
anced Power ¹	P0000341	Testing with visualization and assessment in the P-Q plane (enhanced)	
anced TransPlay	P0006829	Playback and processing of COMTRADE, PL4, or CSV files	
isient Ground Fault	P0006823	Simulation of ground-faults in isolated or compensated networks	
chronizer	P0006822	Automatic testing of synchronizing devices and synchro-check relays	
	P0006842	Programming interface for controlling CMC test sets with user specific software	
Engine aySimTest ²	P0006842		
-		System-based protection testing by simulating realistic power system events	
ySimTest Adv. Transformer Features	P0006853	Advanced transformer features for differential protection in RelaySimTest	
ySimTest Motor Features	P0008107	Motor features for asynchronous motor simulation in RelaySimTest	
ter	P0006841	Testing of single and multifunction energy meters	
nsducer	P0006840	Testing of measurement transducers	
Signal Generator	P0006832	Simulation of power quality phenomena according to IEC 61000-4-30 and IEC 62586	
61850 Client/Server	P0006834	Automatic SCADA testing in accordance with IEC 61850	
DOSE Configuration	P0006831	Testing with GOOSE according to IEC 61850	
ampled Values Configuration	P0006833	Testing with Sampled Values according to IEC 61850-9-2 ("9-2 LE") and IEC 61869-9	
nerLyzer	P0006601	Analog measurements and transient recording with CMC test sets	
ransView ³	P0006837	Transient signal analysis for COMTRADE files	
DScout	P0006493	Universal software tool for working with IEC 61850 IEDs	

Software modules

5

The Advanced modules include their basic counter parts (e.g. Advanced Power includes the Power Module) RelasjimiTest license also includes the licenses for Transient Ground Fault and NetSim TransView is included with Fnetryzer but can also be ordered seperately

 \bigcirc



Step	6: Acc	esso	ries	
In the	last ste	ep, yc		
large	numbe	r of b		

large number of basic accessories and others, tailored to a specific application or use-case. This step is optional, but recommended to get the full potential of the solution.

Accessories 6

Accessory	Item no.	Description
Wiring accessory package	B1764601	Various adapters
Generator combination cable		Three-phase conn
Yellow, green, violet, blue	B1328000	
Red, yellow, blue, black	B1328100	
Mini wireless USB adapter	E1636800	For wireless contr
Transport case	B0679403	Heavy-duty transp
Trolley/Backpack	E1636000	Trolley / Backpack
CMGPS 588	P0006433	GPS controlled tin
CMIRIG-B	P0006386	Interface box for s
TICRO 100	P0000604	IEEE1588/PTP tim
OTMC 100p portable	P0006508	PTP grandmaster
EMCON 200	P0006504	PTP transparent E
TWX1	P0006385	Testing traveling v
CPOL2	P0006331	Handheld polarity
CMLIB REF6xx	P0006379	Low level interfac
REF 54x cable connector	B0559600	Cable connector f
CMLIB 75x8	P0006380	Low level interfac
CMLIB A	P0006378	Low level signal co
Easergy cables ¹	B1734800	Adapter cables fo
RIB1	P0006393	Low level isolation
ISIO 200	P0006498	Binary I/O termina
RXB1	P0006392	Binary output exte
CMTAC 1	P0006278	Rectifier to use AG
SER1	P0006388	Scanning equipm
CMS 356	P0001357	6-phase current a
VBO3	P0006276	Three-phase volta
Current clamp	P0008992	Active AC and DC
C-Shunt 1	B0620201	$1 \text{ m}\Omega$ precision sh
C-Shunt 10	B0620301	$10 \text{ m}\Omega$ precision s
ARC 256x	P0006279	Arc flash initiator
SEM 1	P0006391	Scanning head fo
SEM 2	P0006390	Scanning head fo
SEM 3	P0006389	Magnetic scannin
CMLIB B	P0006377	For tests with refe

1	Three-phase connection between CMC test set and the test object
	imee-phase connection between cline test secand the test object
F	For wireless control of a CMC test set
ŀ	Heavy-duty transport case with wheels and extendable handle for safe & easy transport and shipping
1	Trolley / Backpack for simple mechanical protection
(GPS controlled time synchronization unit
I	nterface box for sending or receiving the IRIG-B protocol or PPS signals
1	EEE1588/PTP time converter
F	PTP grandmaster clock
F	PTP transparent Ethernet media converter
1	Testing traveling wave protection relays and fault locators
ŀ	Handheld polarity checker
L	ow level interface adapter for ABB Relion devices with sensor inputs
(Cable connector for ABB REF 54x devices with sensor inputs
L	ow level interface adapter for Siemens Siprotec Compact devices with sensor inputs
L	ow level signal connector
A	Adapter cables for Schneider Electric Easergy and Schweitzer Engineering Laboratories SEL-751 devices with sensor in
L	ow level isolation box
E	Sinary I/O terminal
E	Binary output extension
F	Rectifier to use AC trigger signals
5	Scanning equipment for scanning the status indication LEDs of protection relays
e	6-phase current and 4-phase voltage amplifier
1	Three-phase voltage transformer for up to 600 V (L-N)
A	Active AC and DC current clamp with voltage output
1	1 m Ω precision shunt for current measurements
1	10 mΩ precision shunt for current measurements
ł	Arc flash initiator for testing arc flash protection systems
5	Scanning head for testing meters with optical pulse output
5	Scanning head for testing meters with rotating disc or optical pulse output
I,	Magnetic scanning head for testing meters with optical pulse output